## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	WO-0106747-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 08:20
L2	8	((ANTHONY) near2 (DYE)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/02/15 08:23
L3	2	WO-9106747-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 08:25
L4	4	"5329900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 08:26
L5	3385	f02b037/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:51
L6	201	f02b037/00.ipc. and (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:52
L7	25	f02b037/00.ipc. and (intake with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:53

L8	817	(turbocharg\$3 or supercharg\$3) and (intake with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:55
L9	865	(turbocharg\$3 or supercharg\$3) and ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:58
L10	156	(turbocharg\$3 or supercharg\$3) and ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and displacement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 09:58
L11	10	(turbocharg\$3 or supercharg\$3) and ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with ((back near5 pressure) near5 (sensor\$1 or detector\$1 or tranducer\$1))) and displacement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:00

L12	34	, .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:01
L13	865	((intake or boost) with (pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:09
L14	224	60/600-624.ccls. and ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or tranducer\$1))) and (exhaust with (( pressure) near5 (sensor\$1 or detector\$1 or tranducer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:10
L15	3739	(variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 compressor)) and (variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 turbine)) ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:43

	Landandandandandandandan	transducer\$1))) and (exhaust with (( pressure) near5 (sensor\$1 or detector\$1 or tranducer\$1)))				
L16	54	(variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 compressor)) and (variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 turbine)) and ((intake or boost) with (pressure near5 (sensor\$1 or detector\$1 or transducer\$1))) and (exhaust with (( pressure) near5 (sensor\$1 or detector\$1 or tranducer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15
L17	1153	(variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 compressor)) and (variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 turbine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:46
L18	808	(variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 compressor)) with (variable near5 ((geometry or nozzle\$1 or vane \$1) near 5 turbine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:46

L19	358	(variable near3 ((geometry or nozzle\$1 or vane \$1) near 5 compressor)) with (variable near3 ((geometry or nozzle\$1 or vane \$1) near 5 turbine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 10:47
S1	3	"6176695"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:40
S2	1	1998-447308. NRAN.	DERWENT	OR	OFF	2009/02/11 13:40
S3	7	("2369539"   "3045447"   "4579513"   "4667646"   "5090392").PN. OR ("6176695").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/11 13:41
<b>S</b> 4	2	EP-222082-A\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:43
<b>S</b> 5	1	DE-2930124-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:44
S6	1	DE-2814919-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:45
S7	0	DE-698476-C\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:46

S8	1	FR-2286279-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:46
S9	1	1976-D8300X. NRAN.	DERWENT	OR	OFF	2009/02/11 13:46
S10	0	WO-200148363-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:51
S11	0	WO-2001048363-A \$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:51
S12	0	WO-01048363-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:52
S13	1	WO-0148363-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:52
S14	1	2001-441736. NRAN.	DERWENT	OR	OFF	2009/02/11 13:52
S15	2	DE-3636048-A\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:53
S16	2	WO-2005080767-A \$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 13:59

## 2/15/09 11:14:11 AM

 $\textbf{C:} \ \textbf{Documents} \ \textbf{and Settings} \ \textbf{ttrieu} \ \textbf{My Documents} \ \textbf{EAST} \ \textbf{Workspaces} \ \textbf{10589433.wsp}$